



Dr.Aashish Gupta

MBBS,DCP,DNB(Pathology)

Ex.SR.AIIMS,New Delhi

PATIENT NAME : MD MUNAWWAR ALAM

AGE/SEX : 26Y/MALE

REF.BY DR. : VIBHASHINI PRASAD MBBS MD

REF.NO : 03/18//192

TEST.DATE : 08/03/18

REPORT DATE : 08/03/18

HIV I & II(SCREENER)

NON REACTIVE

NON REACTIVE

Human immuno deficiency virus type 1(HIV-1) nad type 2(HIV-2) are responsible for acquired immunodeficiency syndrome(AIDS). The most responsible modes of HIV transmission are unsafe sexual contact, exposure to blood (including sharing contaminated needle and syringe)or certain blood products or from an infected mother to her child during the parental period.

HBsAg(SCREENER)

NON REACTIVE

NON REACTIVE

HCV (RAPID)

NON REACTIVE

NON REACTIVE

INTERPRETATION: HCV Rapid Screening Test is a one step Colloidal Gold Enhanced immunochromatographic assay for the Qualitative detection of antibodies pecific to HCV in Human Serum,Plasma or Whole Blood. HCV surface antigen.Recombinant HCV core ,NS3,NS4,NS5 Ag used as capture materials.This assay is intended to be used as an aid in the recognition& diagnosis of Acute infections & Chronic Carriers of hepatitis C virus. Provisionally Reactive Indicates presence of antibodies to HCV. All provisionally cases must be confirmed by using appropriate supplemental confirmatory tests.

VDRL/RPR

NON REACTIVE

NON REACTIVE

Dr.Aashish Gupta
(Consultant Pathologist)